

## SECTION 10A

### METAL TOILET PARTITIONS

1. APPLICABLE PUBLICATION: The Federal Specification (Fed. Spec.) listed below forms a part of this specification to the extent referenced. The publication is referred to in the text by the basic designation only.

RR-P-1352A  
& Am-2

Partitions, Toilet, Complete

2. DESCRIPTION: Metal toilet partitions, including toilet enclosures, shall conform to the layouts shown. Color of panels shall be as selected from the manufacturer's standard colors.

3. SHOP DRAWINGS: Shop drawings shall be submitted for approval in accordance with the SPECIAL PROVISIONS. Shop drawings shall show plans, elevations, details of construction, gages of metal, hardware, reinforcing, fittings, mountings, and anchorings.

4. TOILET ENCLOSURES shall conform to Fed. Spec. RR-P-1352, Type I, Style C. Width of toilet enclosures shall be as shown. Finish surface of panels shall be baked enamel. Panels indicated to receive toilet paper holders as specified in SECTION: TOILET ACCESSORIES shall be reinforced for the reception of the items required.

5. INSTALLATION: Toilet partitions shall be installed straight and plumb with all horizontal lines level and rigidly anchored to the supporting construction where indicated, anchorage to walls shall be by through-bolting. Drilling and cutting for installation of anchors shall be at locations that will be concealed in the finished work.

6. ADJUSTMENT AND CLEANING: Doors shall have a uniform vertical edge clearance of approximately 3/16 inch and shall rest open at approximately 30 degrees when unlatched. Baked enamel finish shall be touched-up with the same type and color of paint that was used for the finish. Toilet partitions shall be cleaned and protected from damage until acceptance.